

From: [Moya, Ruben](#)
To: [Kirst, Tina](#)
Cc: [Tzhone, Stephen](#)
Subject: FW: [FWD: Results: Arkwood -- 12.28.12]
Date: Monday, March 25, 2013 3:57:18 PM
Attachments: [1212303.pdf](#)

Tina,
Please incorporate this and the actual email into SDMS...

Thank You
Ruben

PS: There are about 20 more to follow...for starters.

From: Ruben Moya [mailto:Moya.Ruben@epamail.epa.gov]
Sent: Monday, March 25, 2013 3:42 PM
To: Moya, Ruben
Subject: Fw: [FWD: Results: Arkwood -- 12.28.12]

----- Forwarded by Ruben Moya/R6/USEPA/US on 03/25/2013 03:41 PM -----

From: "Mescher, Jean A" <Jean.Mescher@McKesson.com>
To: Ruben Moya/R6/USEPA/US@EPA, "Moix, Mark" <MOIX@adeq.state.ar.us>
Date: 01/07/2013 05:51 PM
Subject: FW: [FWD: Results: Arkwood -- 12.28.12]

Rumen and Mark,

Please see attached results and note below.

Happy New Year!

Jean

From: jflee@oxfordeands.com [mailto:jflee@oxfordeands.com]
Sent: Monday, January 07, 2013 4:37 PM
To: Mescher, Jean A
Subject: [FWD: Results: Arkwood -- 12.28.12]

Jean,

Happy new year. Attached are the December results from the treatment system sampling at Arkwood. Arkansas Analytical did report these to 1.00 ug/L but since the results were less than 1.00 ug/L, the results were not marked as estimated. The influent concentration was reported at 25 ug/L.

If you have any questions, please let me know.

Best Regards,

Jim

James E. Fleer
Principal Engineer
Oxford Environmental and Safety, Inc.
913-706-3422
jfleer@oxfordeands.com

----- Original Message -----

Subject: Results: Arkwood -- 12.28.12
From: "Amanda Forbush" <afortbush@arkansasanalytical.com>
Date: Mon, January 07, 2013 4:00 pm
To: "Jim Fleer" <jfleer@oxfordeands.com>

Thanks,

Amanda Forbush

Business Hours: Mon-Thur - 8am-5pm, Fri - 8am-4pm

11701 Interstate 30

Bldg. 1, Ste. 115

Little Rock, AR 72209

501-455-3233

501-455-6118 (fax)

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.

(See attached file: 1212303.pdf)